MOMENTIVE

Material Safety Data Sheet

FOR INDUSTRIAL USE ONLY

Cascomel® MF-2LM

1. Product and company identification

Product name

Cascomel® MF-2LM

MSDS Number

000000103298

Product Type

Methylated Melamine Resin Systems

Product use

General Purpose Resin Applications

Manufacturer, Importer,

Momentive Specialty Chemicals Inc.

Supplier

180 East Broad Street Columbus OH 43215

4information@momentive.com

Print date

04-MAR-2013

Telephone

For Emergency Medical Assistance

Call Health & Safety Information Services, 1-866-303-6949

For Emergency Transportation Information CHEMTREC US Domestic (800) 424-9300 CHEMTREC International (703) 527-3887 CANUTEC CA Domestic (613) 996-6666

For additional health and safety or regulatory information, call 1 888

443 9466.

Part of the CASCO® Brand of Adhesives and Resins from Momentive Specialty Chemicals

2. Hazards identification

Form

Liquid

Odor

Pungent

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Emergency overview

WARNING!

MAY CAUSE ALLERGIC RESPIRATORY AND SKIN REACTION.

Potential acute health effects

Inhalation

May cause sensitization by inhalation.

Ingestion

Not expected to be harmful under normal conditions of use.

Skin

May cause irritation on prolonged or repeated contact. May cause

sensitization by skin contact.

Eyes

May cause eye irritation.

Potential chronic health effects

3/4/2013

Chronic effects Some reports suggest that formaldehyde may cause respiratory

sensitization, such as asthma, and that preexisting respiratory and skin

disorders may be aggravated by exposure.

Carcinogenicity

Contains material which can cause cancer. Risk of cancer depends on

duration and level of exposure.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Target organs

Review Section 2 and 11 for any additional assessments.

Over-exposure signs/symptoms

Inhalation

Adverse symptoms may include the following: wheezing and breathing

difficulties, asthma,

Ingestion

No specific data.

Skin

Adverse symptoms may include the following: irritation, redness,

Eyes

No specific data.

Medical conditions aggravated by over-exposure

Pre-existing respiratory and skin disorders may be aggravated by over-exposure to this product.

See section 11 for more detailed information on health effects and symptoms.

3. Composition/Information on ingredients

Ingredient name	CAS number	<u>WT %</u>
Formaldehyde	50-00-0	0.1 - 1.0

^{**} Any applicable Canadian trade secret numbers will be listed in Section 15.

4. First aid measures

Immediately flush eyes with plenty of water for at least 15 minutes, Eye contact

occasionally lifting the upper and lower eyelids. Check for and remove

any contact lenses. Get medical attention if irritation occurs.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated

> clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Inhalation Move exposed person to fresh air. If it is suspected that fumes are still

present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the

person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. In the event of any complaints or symptoms, avoid further exposure.

Ingestion

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Flammability of the product

In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

Use an extinguishing agent suitable for the surrounding fire.

Not suitable

None known.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Hazardous combustion products

Decomposition products may include the following materials:

halogenated compounds, metal oxide/oxides,

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

6. Accidental release measures

Personal precautions No

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with

non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient name Formaldehyde

Occupational exposure limits

ACGIH TLV Ceiling 0.37 mg/m3 0.3 ppm

OSHA PEL 8-hr TWA

0.75 ppm

OSHA PEL STEL (15 mins) 2 ppm

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to

airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Form

Liauid

Auto-ignition temperature

Greater than 100 °C(212 °F) Setaflash Closed Cup ASTM D 3828

Flammable limits

Not available

Lower:

Flash point

Not applicable. Not applicable.

Upper: Color

Odor

Clear. Pungent 8.5 - 9.5

pH Boiling point Freezing Point

Approx. 100 °C(212 °F) Approx. 0 °C(32 °F)

Relative density Vapor pressure Odor threshold

1.23 - 1.25 Not available Not available

Viscosity Solubility Dynamic- Not applicable.

Partition coefficient: n-octanol/water

Complete
Not available

Evaporation rate Vapor density

Not applicable. Not available

10. Stability and reactivity

Stability

Hazardous polymerization may occur under certain conditions of

storage or use.

Conditions to avoid

Avoid exposure - obtain special instructions before use.

Materials to avoid

Reactive or incompatible with the following materials: oxidizing

materials, acids,

Hazardous decomposition

products

Decomposition products may include the following materials: carbon monoxide, carbon dioxide, aldehydes (including formaldehyde), oxides of nitrogen particulate matter, other organic compounds, Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Acute toxicity Ingredient name Formaldehyde

LD50 Oral

Rat

800 mg/kg

LC50 Inhalation

Rat

0.578 mg/l 250 ppm/2 h

LD50 Dermal

Rabbit

270 mg/kg

Other Toxicological Information

Carcinogenicity Conclusion/Summary

The National Toxicology Program (NTP) has listed formaldehyde as "reasonably anticipated to be a human carcinogen". The International Agency for Research on Cancer (IARC) has concluded that formaldehyde is "carcinogenic to humans". U.S. OSHA regulates formaldehyde as a potential human carcinogen. See the OSHA Formaldehyde Workplace Standard at 29 CFR 1920.1048 (the "OSHA Standard"). Safe handling and use instructions are provided in this MSDS and in the OSHA Standard. OSHA has identified 0.5 ppm. calculated as an eight-hour time-weighted average ("TWA")

concentration, as the "Action Level". Please review and understand the guidance contained in this MSDS, and refer to the OSHA Standard for regulatory requirements that might be applicable to your operation and use. Many studies and other evaluations have been performed concerning formaldehyde's potential to cause cancer. To review some

of these studies and for further information go to

www.osha.gov/SLTC/formaldehyde; http://monographs.iarc.fr; http://ntp-server.niehs.nih.gov; http://epa.gov/iris/subst/0419.htm; and

other authoritative websites.

Classification Ingredient name Formaldehyde

ACGIH

Suspected human carcinogen.

IARC

IARC Group 1, carcinogenic to humans

NTP

Possible

OSHA

OSHA cancer potential

EU

Limited evidence of a carcinogenic effect.

12. Ecological information

Environmental effects

No known significant effects or critical hazards.

Aquatic ecotoxicity Ingredient name

Formaldehyde

Fresh water Acute LC50 1.41 mg/l/4 d

Rainbow trout, donaldson

trout

Fresh water Acute LC50 1.51 mg/l/4 d

Bluegill

Other adverse effects

No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

International transport regulations

Regulatory UN/NA

information number

Proper shipping name

Classes/*PG

Reportable Quantity (RQ)

CFR

Non-regulated

TDG

Non-regulated

IMO/IMDG

Non-regulated

IATA (Cargo)

Non-regulated

*PG: Packing group

15. Regulatory information

US regulations

HCS Classification

Sensitizing material, Carcinogen

U.S. Federal regulations

SARA 311/312 Classification Immediate (acute) health hazard, Delayed (chronic)

health hazard, reactive

SARA 313 - Supplier Notification

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and

Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR

Part 372.

Formaldehyde - 50-00-0 (0.20%),

SARA 302 Extremely Hazardous Substances None required.

State regulations

Massachusetts RTK Substances The following components are listed: Sodium

Chloride,

New Jersey RTK Hazardous Substances The following components are listed:

Formaldehyde,

Pennsylvania RTK Hazardous Substances The following components are listed:

Sodium Chloride, Formaldehyde,

California Prop. 65: WARNING: This product contains a chemical known to the State of

California to cause cancer. Formaldehyde - 50-00-0,

Canada

WHMIS (Canada)

Class D-2A: Material causing other toxic effects (Very toxic).

Canadian lists

Canadian NPRI: None required.

International regulations

Chemical inventories

Europe inventory All components are listed or exempted.

Australia inventory (AICS) All components are listed or exempted. China inventory (IECSC) All components are listed or exempted.

Japan inventory (ENCS) Not determined.

Japan inventory (ISHL) Not determined.

Korea inventory (KECI) All components are listed or exempted.

New Zealand Inventory (NZIoC) Not determined.

Philippines inventory (PICCS) All components are listed or exempted.

Canada inventory All components are listed or exempted.

United States inventory (TSCA 8b) All components are listed or exempted.

16. Other information

Hazardous Material Information System III

Health: 1 Flammability: 1

(U.S.A.)

Physical hazards : 0

Chronic: *

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Prepared by

Product Safety & Regulatory Compliance Group, (614)225-4778

Date of issue Date of printing 21-NOV-2010 04-MAR-2013

Version

4.2

Notice to reader

The information provided herein was believed by Momentive Specialty Chemicals ("Momentive") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Momentive are subject to Momentive's terms and conditions of sale. MOMENTIVE MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY MOMENTIVE, except that the product shall conform to Momentive's specifications. Nothing contained herein constitutes an offer for the sale of any product.

 $^{\mbox{\tiny 8D}}$ and $^{\mbox{\tiny 1M}}$ Licensed trademarks of Momentive Specialty Chemicals Inc.

3/4/2013